

# Tax Credit Summary Report

## QUALIFICATION CRITERIA

### Energy Use:

	Qualifying Home	Reference Home
Cooling Energy	5.11 MBtu*	10.75 MBtu
Heating Energy	9.45 MBtu*	18.99 MBtu
<b>Total</b>	<b>14.57 MBtu</b>	<b>29.75 MBtu</b>
<b>Total Energy Use Savings = 51.03 %</b>		

### Envelope:

	Qualifying Home	Reference Home
Cooling Loads	15.69 MBtu	24.08 MBtu
Heating Loads	20.18 MBtu	31.40 MBtu
<b>Total</b>	<b>35.87 MBtu</b>	<b>55.48 MBtu</b>
<b>Total Envelope Savings = 35.35 %</b>		

All homes may qualify for a \$2,000 federal tax credit to the builder if their heating and cooling energy use has been reduced by 50% or more and the home has achieved envelope savings of 10% or more. HUD Code manufactured homes may also qualify for a \$1,000 tax credit to the manufacturer if their heating and cooling energy use has been reduced by 30% or more and the home has achieved envelope savings of 10% or more.

\* Energy uses determined in accordance with RESNET Publication 05-001, "Procedures for Certifying Residential Energy Efficiency Tax Credits for New Homes."

\_\_\_\_\_  
Certifier Name

\_\_\_\_\_  
Address

\_\_\_\_\_  
Taxpayer Identification

\_\_\_\_\_  
City, State, Zip

This report is produced by a non-certified practitioner and is intended for preliminary analysis. To be valid for official purposes, the information contained in the report must be confirmed and attested to by a certified practitioner.



\_\_\_\_\_  
Certifier Signature

## PROJECT

Title:	Atlanta_TaxCredit	Family Type:	Single-family	Address Type:	
Building Type:	User	New/Existing:	New (From Plans)	Lot #	
Owner:	Energy Gauge	Bedrooms:	3	SubDivision:	
# of Units:	1	Conditioned Area:	2400	PlatBook:	
Builder Name:	John Q. Hammer	Total Stories:	2	Street:	Anyplace
Permit Office:		Worst Case:	No	County:	
Jurisdiction:		Rotate Angle:	0	City, State, Zip:	Atlanta , GA ,
Comment:	CZ3 - New home tax credit qualification example				